

Safety Data Sheet

United Phosphorus, Inc.

Preparation Date 10-May-2015 Revision date 10-May-2015 Revision Number: 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product identifier

Product Description: TOPSIN® M WSB

Other means of identification

 Item#:
 12-377

 UN-No
 UN3077

 Synonyms
 Not Available

 Registration number(s)
 8033-125-70506

Recommended use of the chemical and restrictions on use

Recommended use Fungicide.

Uses advised against Activities contrary to label recomendation

Details of the Supplier of the Safety Data Sheet

Supplier Address
United Phosphorus Inc.
630 Freedom Business Center
Suite 402

King of Prussia, PA 19406 Emergency telephone number

Company Phone Number 1-800-438-6071

Emergency telephone number Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887

Medical: Rocky Mountain Poison Control Center

(866) 673-6671 (24hrs)

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 2
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2

Label elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Harmful in contact with skin

Fatal if inhaled

May cause an allergic skin reaction Suspected of causing genetic defects



appearance light brown

Physical state powder

Odor Slight Rotten egg-like

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Do not handle until all safety precautions have been read and understood Wear cold insulating gloves/face shield/eye protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area In case of inadequate ventilation wear respiratory protection Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
Call a POISON CENTER or doctor if you feel unwell
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC) OTHER INFORMATION

- Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life
- · May be harmful in contact with skin

3. Composition/information on Ingredients

Chemical name	CAS-No	Weight %	Trade secret
Thiophanate-methyl	23564-05-8	72	
Silicon dioxide	112926-00-8	1-20	
Diatomaceous earth	7631-86-9	5-40	

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye contact

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Revision date 10-May-2015

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Call poison control center

or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison

control center immediately.

Never give anything by mouth to an unconscious person. Do not induce vomiting without Ingestion

medical advice. Clean mouth with water and drink afterwards plenty of water afterwards.

Call a physician.

Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and **Effects**

No information available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Use:. Dry chemical. Carbon dioxide (CO2). Water spray. alcohol-resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products No information available.

Explosion data

Protective equipment and precautions for firefighters

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with the skin and the eyes. Wear protective gloves/clothing and eye/face

protection. Wash thoroughly after handling.

Environmental Precautions

Consult a regulatory specialist to determine appropriate state or local reporting **Environmental precautions**

requirements, for assistance in waste characterization and/or hazardous waste disposal

and other requirements listed in pertinenet environmental permits.

Methods and material for containment and cleaning up

Methods for Clean-Up Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Handling Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.

Wash thoroughly after handling. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a cool, well-ventilated place.

incompatible materials Strong oxidizing agents.

8. Exposure Controls/Personal Protection

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL
Silicon dioxide		(vacated) TWA: 6 mg/m ³
		TWA: 20 mppcf: (80)/(% SiO2) mg/m³ TWA
Diatomaceous earth		(vacated) TWA: 6 mg/m ³ <1% Crystalline silica
		TWA: 20 mppcf: (80)/(% SiO2) mg/m ³ TWA

Engineering controls

Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

Personal protective equipment

Eye/Face ProtectionUse eye protection to avoid eye contact. Where there is potential for eye contact have eye

flushing equipment available. Safety glasses with side-shields.

Skin protection Wear protective gloves/clothing. Socks and footwear.

Respiratory protection Where airborne exposure is likely, use NIOSH approved respiratory protection equipment

appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection

programs must comply with 29 CFR 1910.134.

General hygiene considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state powder

appearance light brown Odor Slight Rotten egg-like

color No information available

Property VALUES Remarks/ • Method

pH No information available
Melting point/freezing point 172 °C / 342 °F
Boiling Point/Range No information available
Flash Point No information available
Evaporation Rate No information available
flammability (solid, gas) No information available

Flammability limit in air

Upper Flammability Limit No information available **Lower Flammability Limit** No information available 7.12 X 10-8 mmHg(tech) vapor pressure **Vapor Density** No information available Specific gravity No information available Water solubility No information available Solubility in Other Solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available

decomposition temperatureNo information availableViscosity, kinematicNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

OTHER INFORMATION

Softening point
molecular weight
VOC Content
density
No information available

10. Stability and Reactivity

Reactivity

no data available

Chemical stability

Stable under normal conditions. Hazardous polymerisation does not occur.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

No information available.

incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

No information available.

11. Toxicological Information

Information on Likely Routes of Exposure

Product information Single exposure studies indicate:

Oral: Practically non-toxic to rats (LD50 >5,000 mg/kg)

Dermal: No more than slightly toxic to rabbits (LD50 >2,000 mg/kg)

Inhalation: SLightly toxic to rats (4 hr LC50 1.8 mg/l)

Skin Irritation: Non-irritating to rabbits Eye Irritation: Non-irritating to rabbits

Skin allergy was observed in guinea pigs following repeated exposure. Repeated or long-term oral administration produced effects on the thyroid, liver or kidneys in rats, mice and dogs. An increased incidence of liver tumors was observed in mice and thyroid tumors

were observed in male rats following long-term oral exposure.

No effects were seen on the ability of male or female rats to reproduce when exposed orally for 2 successive generations. No birth defects were observed in the offspring of rats exposed orally during pregnancy. In rabbits, developmental effects were noted only at maternally toxic doses. No genetic changes were observed in tests using animal cells.

Inhalation MAY BE FATAL IF INHALED.

Eye contact Moderately irritating to the eyes.

Skin contact May be harmful if absorbed through the skin.

Ingestion MAY BE HARMFUL IF SWALLOWED.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Thiophanate-methyl 23564-05-8	-	-	= 1700 mg/m ³ (Rat) 4 h
Diatomaceous earth > 5000 mg/kg (Rat) 7631-86-9		> 2000 mg/kg (Rabbit)	>2.2 mg/L (Rat)4 h

Information on Toxicological Effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitizationNo information available.Mutagenic effectsNo information available.

Carcinogenicity The information below indicates whether any agency has listed any ingredient as a

carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon dioxide 112926-00-8	-	Group 3		-
Diatomaceous earth 7631-86-9	-	Group 3		-

Reproductive effects Not Available.

STOT - Single Exposure
STOT - repeated exposure
Chronic toxicity
Target organ effects
Aspiration hazard
No information available.
No information available.
Respiratory System, EYES.
No information available.

Numerical Measures of Toxicity - Product information

LD50 Oral > 5000 mg/kg (rat) **LD50 Dermal** > 2000 mg/kg (rat)

LC50 Inhalation: LC50/inhalation/4h/rat = 1.8 mg/l

12. Ecological Information

ecotoxicity

Thiophanate methyl methyl Carp 96 hr LC50 = >100 mg/L Fiddler crab 96 hr LC50 = >560 mg/L Bluegill 96 hr LC50 = 15.8 mg/L Daphnid 48 hr EC50 = 15.6 mg/L Shrimp 96 hr LC50 = 25.1 mg/L Trout 96 hr LC50 - 2.2 mg/L Oyster 96 hr LC50 = 4.6 ppm Highly toxic to catfish

Persistence/Degradability

No information available.

Bioaccumulation/ Accumulation

No information available.

Other Adverse Effects

No information available

13. Disposal Considerations

Waste Treatment Methods

Waste Disposal Method Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is

a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging Refer to product label.

Chemical nameRCRARCRA - Basis for ListingRCRA - D Series WastesRCRA - U Series WastesThiophanate-methylU409U409

14. Transport Information

DOT

UN-No UN3077

Proper shipping name Environmentally hazardous substances, solid, n.o.s (Thiophanate methyl)

Hazard class 9
Packing group PG III

Reportable Quantity (RQ): 10 lbs (Thiophanate methyl)

<u>ICAO</u>

UN-No UN3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s (Thiophanate methyl)

Hazard class 9
Packing group PG III

IATA

UN-No UN3077

Proper shipping name Environmentally hazardous substances, solid, n.o.s (Thiophanate methyl)

Hazard class 9
Packing group PG III

IMDG/IMO

UN-No 3077

Proper shipping name Environmentally hazardous substances, solid, n.o.s (Thiophanate-methyl)

Hazard class 9
Packing group PG III

15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word CAUTION

Ventilation Control PESTICIDE APPLICATORS & WORKERS THESE WORKERS MUST REFER TO

PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA

WORKER PROTECTION STANDARD 40 CFR PART 170.

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Prolonged or frequent repeated skin contact may cause allergic reaction in some individuals.

International Inventories

USINV Not determined
DSL/NDSL Not determined
EINECS/ Does not comply

ELINCS

ENCS Does not comply China Complies

12-377 TOPSIN® M WSB

KECL Complies
PICCS Complies
AICS Complies
TSCA Does not comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372:

Chemical name	SARA 313 - Threshold Values		
Thiophanate-methyl - 23564-05-8	1.0		

SARA 311/312 Hazardous

Categorization

Acute health hazard yes
Chronic health hazard yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

0

Chemical name	RQ	CERCLA EHS RQs	RQ
Thiophanate-methyl	10 lb		RQ 10 lb final RQ RQ 4.54 kg final
23564-05-8			RQ

CERCLA

Component	RQ
Thiophanate-methyl	10 lb
23564-05-8 (72)	

SARA Product RQ

RCRA

Component	RCRA - D Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes	
Thiophanate-methyl			U409	
23564-05-8 (72)				

Pesticide Information

State Regulations

Component	CAS-No	CATEGORY	California Prop. 65	Non-additive, corrosive chemical type
Thiophanate-methyl 23564-05-8 (72)	23564-05-8		Female Reproductive Male Reproductive	Female Reproductive Male Reproductive

State Right-to-Know

L	Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
ſ	Thiophanate-methyl		X			
	Silicon dioxide	X	X	X		
ſ	Diatomaceous earth	Х	X	X		

International regulations

U.S. EPA Label information

EPA Pesticide registration number 8033-125-70506

16. Other Information

NFPA HEALTH 1 flammability 0 Instability 0 Physical hazard -

Preparation Date10-May-2015Revision date10-May-2015

Revision Summary Update to GHS format

Disclaimer

United Phosphorus, Inc. believes that the information and recommendations container herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of United Phosphorus, Inc. and United Phosphorus Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of MSDS